


Annie's  
Attic®

BEADING

876511

# Beautiful Birthstones™

12 Fabulous Birthstone Designs—  
One for Each Month!





# January Garnet

Design by **Iiana McGrath**, courtesy of Blue Moon Beads

## INSTRUCTIONS

- 1) String a crimp bead ½ inch from one end of beading wire; thread wire end through one half of toggle clasp and back through crimp bead. Gently squeeze crimp bead with crimp pliers.
- 2) String on a faceted silver bead and a faceted garnet. String on the following sequence: three garnet ovals, a small silver spacer, a potato pearl, a small silver spacer, three garnet ovals and a large silver spacer. Repeat sequence three additional times. String on a faceted garnet.
- 3) To form droplet, continue to string on one large silver spacer, eight teardrop beads, a small silver spacer, a faceted garnet, a small silver spacer, eight teardrop beads, a small silver spacer, a faceted garnet, a small silver spacer, eight teardrop beads, a Bali bead and a teardrop bead. Beginning with the Bali bead, thread wire back through beads in this sequence.
- 4) Repeat step 2 in reverse, for remaining half of necklace.
- 5) String on a crimp bead and remaining half of clasp; thread wire end back through crimp bead. Gently squeeze crimp bead; trim excess wire.
- 6) Slide garnet saucer bead and a Bali bead onto a head pin; use round-nose pliers to form a wrapped head pin loop at top, attaching loop to one end of clasp before wrapping. ●

Source: Beads from Blue Moon Beads.

## MATERIALS

- 48 (6mm) garnet ovals
- 6 (5mm) faceted garnet beads
- 25 (3mm) garnet teardrop beads
- Garnet saucer bead
- 8 pink potato pearls
- 2 small faceted silver beads
- 20 small silver spacers
- 9 large silver spacers
- 2 large Bali beads
- Silver crimp beads
- Silver toggle clasp
- 27 inches .015-inch-diameter beading wire
- Silver head pin
- Round-nose pliers
- Wire nippers
- Crimp pliers

## FINISHED SIZE

- 19 inches with 3-inch droplet



# February Amethyst

Design by Katherine McBee

## MATERIALS

- 8 (10mm) clear fire-polished glass faceted beads
- 64 amethyst chips
- 2 amethyst heart charms
- 2 silver decorative spacer beads
- 2 silver crimp tubes
- 2 decorative silver head pins
- 3 silver jump rings
- Silver toggle clasp
- 2 (10-inch) lengths .012-inch-diameter 19-strand nylon-coated flexible beading wire
- Round-nose pliers
- Crimp pliers
- Wire nippers

## FINISHED SIZE

7 inches

## INSTRUCTIONS

- 1) For beaded dangles, slide a clear fire-polished bead onto a decorative head pin. Use round-nose pliers to form a loop above bead; trim excess wire. Repeat once. For heart dangles, attach a jump ring to both heart charms. Set bead and heart dangles aside.
- 2) Holding both pieces of wire together, string a crimp tube onto wires  $\frac{1}{2}$  inch from one end. String on one half of toggle clasp; thread wire ends back through crimp tube. Gently squeeze and fold crimp tube in half with crimp pliers.
- 3) With strands separate, string 12 amethyst chips on each strand.
- 4) Hold strands together and string on a clear fire-polished bead.
- 5) Separate strands and string on 3 amethyst chips, a clear fire-polished bead and an amethyst chip on each strand.
- 6) Hold strands together and string on a spacer bead, a heart dangle and a spacer bead.
- 7) Repeat steps 3–5, only in reverse, for other side of bracelet.
- 8) With strands together, string on a crimp tube and remaining half of clasp. Thread wire ends back through crimp tube and gently squeeze and fold crimp tube in half. Attach remaining dangles to a jump ring; attach jump ring to one end of clasp. ●

Sources: Toggle clasp and head pins from Blue Moon Beads; crimp tubes and beading wire from Beadalon.



# March Aquamarine

Design by **Lorine Mason**

## INSTRUCTIONS

- 1) String a crimp bead  $\frac{1}{2}$  inch from one end of beading wire; thread wire end through one half of barrel clasp and back through crimp bead. Gently squeeze crimp bead and fold in half with crimp pliers.
- 2) String on 25 round beads.
- 3) String on a teardrop bead and 5 round beads. Repeat sequence seven more times. String on a teardrop bead and 25 additional round beads.
- 4) String on a crimp bead and other half of clasp; thread wire end back through crimp bead. Gently squeeze crimp bead and fold in half.
- 5) Slide three round beads onto a head pin; use round-nose pliers to form a loop above top bead. Trim excess wire. Attach head pin onto barrel clasp. ●

Source: Beading wire from Beadalon.

## MATERIALS

- 93 (5mm) aquamarine round crystal beads
- 9 aquamarine teardrop crystal beads
- 1-inch-long silver head pin
- 2 silver crimp beads
- Small silver barrel clasp
- 20 inches .015-inch-diameter 7-strand nylon-coated flexible beading wire
- Round-nose pliers
- Crimp pliers
- Wire nippers

## FINISHED SIZE

- 16 $\frac{1}{4}$  inches



# April ♦ Diamond

Design by **Carole Rodgers**, courtesy of Beadalon

***Project note:** Memory wire is hard to cut and will damage regular wire nippers. Always use heavy-duty wire cutters or memory wire shears to cut wire coils.*

## MATERIALS

22 (11mm x 6mm) double-hole silver slides with crystal inset  
 44 (4mm) clear crystal bicone beads  
 49 (2mm) round silver beads  
 Bracelet memory wire  
 6 silver memory wire end caps  
 Heavy-duty wire cutters  
 Bead adhesive

## FINISHED SIZE

7¼ inches

## INSTRUCTIONS

- 1) Measure wrist and add ¼ inch; cut three pieces of memory wire that size.
- 2) Glue an end cap onto one end of each piece of wire; hold each a minute, allowing glue to set.  
*Note: Allow glue to dry for several hours or overnight to prevent beads from pushing off end caps.*
- 3) Beginning with what will be the middle wire, string on a round silver bead, the right side of a silver slide, round silver bead and the left side of a silver slide. *Note: When threading on silver slides, make sure each slide is facing the same direction.* Repeat stringing sequence ten additional times. String on a round silver bead; glue on an end cap.
- 4) Slide a round silver bead onto a second piece of wire; string wire through the open holes of the silver slide closest to the end of middle wire. String on a crystal bicone, a round silver bead and a crystal bicone. Slide wire through the next silver slide. Beginning with the crystal bicone, repeat stringing process nine additional times. String on a crystal bicone, a round silver bead, a crystal bicone and a round silver bead. Glue on an end cap.
- 5) Repeat step 4 for remaining wire. ●

*Sources:* Metal slides from Pure Allure Inc.; memory wire, memory wire end caps and bead adhesive from Beadalon.



# May Emerald

Design by **Lorine Mason**

## INSTRUCTIONS

- 1) On one of the 12-inch pieces of wire, string a crimp bead  $\frac{1}{2}$  inch from one end; thread wire end through one hole on one half of clasp. Thread wire end back through crimp bead. Gently squeeze crimp bead and fold in half with crimp pliers. Repeat for remaining 12-inch-long piece of wire, attaching it through other hole on same half of clasp as first wire.
- 2) Thread the following sequence onto the first wire: one green onyx, a round spacer, two green onyx, a round spacer, three green onyx, a round spacer and four green onyx. String same sequence onto second wire.
- 3) With strands together, string on a tube spacer.
- 4) Separate strands and string the following sequence on each strand: four green onyx, a round spacer, three green onyx, a round spacer, two green onyx, a round spacer and one green onyx.
- 5) Repeat step 3.
- 6) Repeat steps 2–4 for remaining half of bracelet, only in reverse.
- 7) String a crimp bead onto one wire end; thread wire end through one hole on remaining half of clasp. Thread wire back through crimp bead and gently squeeze and fold crimp bead in half. Repeat for second wire strand.
- 8) String the following sequence onto the 5-inch-long piece of wire: a crimp bead, two green onyx, a heart charm and two green onyx. Thread wire end through the tube spacer in center of bracelet; thread wire end back through crimp bead. Tighten wire and gently squeeze and fold crimp bead in half. Thread wire ends through the beads to hide excess wire. Twist beaded wire to hide crimp bead inside tube spacer. ●

Source: Beading wire, snap clasp and crimp beads from Beadalon.

## MATERIALS

- 84 (3mm) green onyx button beads
- 24 silver round filigree spacer beads
- 3 silver tube filigree spacer beads
- Silver heart charm
- 5 (1.3mm) silver crimp beads
- Silver filigree double-strand snap clasp
- .015-inch-diameter 7-strand nylon-coated flexible beading wire: 2 (12-inch) lengths and 1 (5-inch) length
- Wire nippers
- Crimp pliers

## FINISHED SIZE

- $7\frac{1}{2}$  inches

# June Pearl



Design by Vicki Blizzard

## MATERIALS

Assorted green gemstone chips  
from a 36-inch strand  
22 (8mm) potato pearls  
21 (3mm) gold heishe spacers  
18 (3mm) silver heishe spacers  
35 x 50mm top-drilled teardrop  
shell pendant  
12.5mm silver lobster-claw  
clasp  
Medium silver tag  
4 silver crimp beads  
3 (6mm) silver jump rings  
1 (8mm) silver jump ring  
3 (2-inch) silver bead-tip  
head pins  
6 inches fine silver chain with  
2mm links  
36 inches .015-inch-diameter  
49-strand nylon-coated  
flexible beading wire  
Round-nose pliers  
Chain-nose pliers  
Wire nippers

## FINISHED SIZE

29½ inches

## INSTRUCTIONS

### Necklace

- 1) String two crimp beads ½ inch from end of beading wire; place wire end through lobster-claw clasp and thread back through crimp beads. Use chain-nose pliers to flatten crimp bead furthest away from clasp.
- 2) String a gold heishe spacer, a pearl, a gold heishe spacer and 10 gemstone chips. Repeat stringing sequence 17 more times, alternating gold and silver heishe beads surrounding pearls. *Note: Because sizes of chips vary slightly, spaces between pearls may not all be equal. One pearl surrounded with silver heishe spacers should be at the approximate center of the necklace. If this is not the case, restring some sections so that this pearl is approximately in the center of the necklace before adding final crimp beads.* Finish sequence with a gold heishe spacer, a pearl and a gold heishe spacer.
- 3) String two crimp beads and silver tag. Thread end of wire back through crimp beads. Use chain-nose pliers to flatten crimp bead furthest away from jump ring. Trim excess wire.

### Pendant

- 1) Open 8mm jump ring and slide through top-drilled hole on shell pendant; close ring.
- 2) Cut two pieces of chain each 7 links long and one piece of chain 5 links long. Open a 6mm jump ring and slide the three pieces of chain onto ring, with shortest piece in the center.
- 3) Thread a pearl onto a bead-tip head pin. Trim end of pin to ¾ inches and form into a loop with round-nose pliers, placing loop through end of one of the 7-link chain pieces before completely closing. Repeat to make another pearl drop and attach to remaining 7-link chain.
- 4) For center drop, thread a pearl, a gold heishe spacer and 5 gemstone chips onto a bead-tip head pin. Trim pin and form a loop, attaching drop to 5-link chain before closing.
- 5) Cut a piece of chain 13 links long. Open a jump ring and place through one end of chain. Place open jump ring next to center pearl on necklace and close. Slide pendant onto chain. Open remaining jump ring and place through other end of chain. Place open jump ring on other side of center pearl on necklace and close.
- 6) Open jump ring with chain drops and place onto jump ring on pendant; close jump ring. ●

Sources: Shell pendant from Pure Allure Inc.; heishe spacers from Fire Mountain Gems & Beads; beading wire from Beadalon.







# July Ruby

Design by **Kelly Hempton**, courtesy of Art & Soul Beads



## INSTRUCTIONS

- 1) String a crimp bead onto cable wire, leaving a 2-inch tail. Thread tail through bar end of toggle clasp and back through crimp bead. Crimp the crimp bead and slide a 3mm large-hole bead over crimp to conceal.
- 2) String the following sequence onto wire: 2mm sterling silver bead, siam saucer, square rondelle, siam cube, square rondelle, siam saucer, 2mm sterling silver bead and a diamond-shaped marcasite bead.
- 3) Repeat step 2 three additional times.
- 4) String on the following: 2mm sterling silver bead, siam saucer, square rondelle, siam cube, square rondelle, siam saucer, 2mm sterling silver bead, 3mm large hole round bead and a crimp bead.
- 5) Thread wire end through remaining half of toggle clasp and back through crimp bead and a few other beads on wire. Crimp the crimp bead and slide the large-hole round bead over crimp to conceal. Trim excess wire. ●

**Source:** Saucer and cube beads, square rondelles, toggle clasp and marcasite beads from Art & Soul Beads.

## MATERIALS

- 2 (3mm) sterling silver large-hole round beads
- 10 (2mm) sterling silver round beads
- 4 diamond-shaped sterling silver and marcasite beads
- 5 (8mm) siam Swarovski crystal cube beads
- 10 (5mm) siam Swarovski crystal saucer beads
- 10 (6mm) silver-finish square rondelles with clear crystals
- 2 (2mm) sterling silver crimp beads
- Sterling silver and marcasite rope toggle clasp
- 14 inches .015-inch-diameter 3-strand cable wire
- Flush-cut wire cutters
- Crimp pliers

## FINISHED SIZE

- 7½ inches



## MATERIALS

- 1 strand peridot polished ovals
- 35 (4mm) faceted AB blue green Czech glass ovals
- 48 (2mm) faceted AB light green Czech glass ovals
- 188 (11/0) aqua matte-finish Czech seed beads
- 66 (11/0) green Czech seed beads
- 66 (11/0) lime green Czech seed beads
- 66 (11/0) light green Czech seed beads
- 1 spiral silver-tone metal bead
- 4 (1.3mm) sterling silver crimp tubes
- 2 sterling silver bead tips
- 3 sterling silver jump rings
- 1 (22-gauge) sterling silver head pin
- 1 (3-strand) large silver rectangular clasp
- 20 inches .013-inch-diameter 49-strand nylon-coated flexible beading wire
- 20 inches .018-inch-diameter 19-strand nylon-coated flexible beading wire
- .024-inch-diameter turquoise silk bead cord
- 3 inches silver extension chain
- Crimp pliers
- Round-nose pliers
- Chain-nose pliers
- Knotting tool
- Beading board (optional)
- Jeweler's cement

## FINISHED SIZE

- 17 inches with 3-inch extender

# August Peridot

Design by **Margot Potter**

## INSTRUCTIONS

- 1) Slide a crimp tube  $\frac{1}{2}$  inch from one end of 49-strand wire. Thread wire end through top hole in one half of clasp; thread wire end back through crimp tube. Gently squeeze crimp tube and fold in half with crimp pliers.
- 2) String on a 2mm Czech glass oval and four aqua matte-finish seed beads. Repeat sequence for  $14\frac{1}{2}$  inches; end with a 2mm light green oval.
- 3) Slide wire end through a crimp tube and through top hole on remaining half of clasp. Thread wire end back through crimp tube. Gently squeeze crimp tube and fold in half. Trim excess wire.
- 4) Repeat step 1 to attach the 19-strand piece of wire to the middle hole in clasp.
- 5) String on a 4mm Czech glass oval, two green seed beads, two lime green seed beads, two light green seed beads, a 4mm Czech glass oval, two light green seed beads, two lime green seed beads, two green seed beads and a 4mm Czech glass oval. Repeat this pattern for approximately 16 inches, ending with a Czech glass oval.
- 6) Repeat step 3 to attach wire end to middle hole in remaining half of clasp.
- 7) Knot one end of bead cord into a bead tip; secure knot with jeweler's cement. Begin stringing on glass peridot ovals, using knotting tool to double knot between each oval. **Note:** *Since this strand is being completed first before attaching to clasp, continually compare strand to completed strands to determine finished length. A beading board can be used to aid in this step.* String on a 2mm Czech glass oval, a silver spiral bead and a 2mm Czech glass oval on right side of strand as desired.
- 8) Once strand is finished, tie a knot into the second bead tip and secure with jeweler's cement.
- 9) Attach bead tips to each side of clasp with jump rings.
- 10) Slide a 4mm faceted oval onto a head pin; use round-nose pliers to form a wrapped head pin loop, attaching loop to one end of extension chain before wrapping. Use a jump ring to attach other end of extension chain to one end of clasp. ●

Sources: Czech seed beads, spiral bead and clasp from Blue Moon Beads; wire, thread and Tri-Cord Knotter from Beadalon; GS Hypo Cement from Germanow-Simon Corp.





**MATERIALS**

- 2 (3mm) 14k gold-filled large-hole round beads
- 2 (35mm) 14k gold-filled curved wrist noodles with basket-weave finish\*
- 2 (2mm) 14k gold-filled round beads
- 6 (5mm) 14k gold-filled round corrugated beads
- 6 (6mm) gold-finish square rondelles with sapphire crystals
- 3 (10 x 7mm) Venetian glass sapphire cube beads with silver foil
- 1 (12mm) Venetian glass sapphire heart with silver foil
- 2 (14k gold-filled) crimp beads
- 1 (2-inch-long) 14k gold-filled head pin
- 1 (5mm) 14k gold-filled soldered jump ring
- 1 (10mm) 14k gold-filled round toggle clasp
- 12 inches .014-inch-diameter 24k gold flexible wire
- Round-nose pliers
- Crimp pliers
- Flush-cut wire cutters

**FINISHED SIZE**

- 6½ inches
- \*For a larger bracelet, substitute 43mm wrist noodles.

# September

# Sapphire

Design by **Kelly Hempton**, courtesy of Art & Soul Beads

**INSTRUCTIONS**

- 1) For heart dangle, string a 2mm gold-filled round bead, Venetian sapphire heart and a 2mm gold-filled round bead onto head pin. Use round-nose pliers to form a wrapped head pin loop above top bead, attaching loop to soldered jump ring before wrapping wire. Trim excess wire; set dangle aside.
- 2) String a crimp bead onto wire 2 inches from one end; place wire end through the bar end of toggle clasp and back through crimp bead. Crimp the crimp bead and slide a 3mm large-hole bead over crimp to conceal.
- 3) String a 5mm corrugated bead, curved noodle and a 5mm corrugated bead onto wire.
- 4) String on a 6mm square rondelle, flat cube sapphire bead, 6mm square rondelle and a 5mm corrugated bead. Repeat two additional times.
- 5) String on a curved noodle, 5mm corrugated bead, heart dangle, 3mm large-hole bead and a crimp bead.
- 6) Thread wire end through remaining half of toggle clasp and back through crimp bead and curved noodle. Pull beads tightly in place and keep wire end taut. Carefully crimp the crimp bead close to clasp; slide the 3mm large-hole bead over crimp to conceal. Trim excess wire. ●

*Sources:* Flexible wire from Soft Flex Co.; curved wrist noodles, square rondelles, Venetian heart bead and toggle clasp from Art & Soul Beads.

# October Pink Tourmaline

Design by Katherine McBee



## INSTRUCTIONS

- 1) Hold both pieces of beading wire together; string a crimp tube  $\frac{1}{2}$  inch from end of wires. Thread wire ends through one half of toggle clasp and back through crimp tube. Gently squeeze crimp tube with crimp pliers.
- 2) With strands together, string on a small round silver bead, a bead cap, cat's-eye bead and a bead cap.  
*Note: String bead caps on so they hold bead in place.*
- 3) Separate strands and string a seed bead and fluted bead on each strand.
- 4) String on a diamond-shaped metal slide.
- 5) String a fluted bead onto each strand.
- 6) String on a rectangular metal slide.
- 7) Repeat step 5.
- 8) Repeat step 4.
- 9) Repeat step 5.
- 10) Repeat step 6.
- 11) Repeat step 5.
- 12) Repeat step 4.
- 13) Repeat step 5.
- 14) Repeat step 6.
- 15) Repeat step 5.
- 16) String a bead cap, cat's-eye bead and a bead cap on each strand.
- 17) Repeat steps 2–15 for other side of bracelet, only in reverse.
- 18) With strands together, thread on a crimp tube and remaining half of clasp. Thread wire end back through crimp tube and crimp in same manner as in step 1. ●

Sources: Toggle clasp, metal slides and bead caps from Pure Allure Inc.; crimp tubes and beading wire from Beadalon.

## MATERIALS

- 2 silver small round beads
- 4 (10/0) pink seed beads
- 28 (4mm) silver metal fluted beads
- 4 pink cat's-eye beads
- 8 decorative silver bead caps
- 6 diamond-shaped metal slides with pink stones
- 6 rectangular metal slides with pink stones
- 2 (1.5mm) silver crimp tubes
- Silver heart toggle clasp
- 2 (10-inch) lengths .012-inch-diameter 19-strand nylon-coated flexible beading wire
- Wire nippers
- Crimp pliers

## FINISHED SIZE

- 8 inches (including clasp)



# November

## Yellow Topaz

### MATERIALS

- 7 (6mm) yellow topaz faceted crystal beads
- 14 (8mm) yellow topaz faceted crystal beads
- 14 silver bead caps
- 1.3mm silver crimp beads
- Silver rectangular toggle clasp
- 12 inches .015-inch-diameter 49-strand nylon-coated flexible beading wire
- Wire nippers
- Crimp pliers

### FINISHED SIZE

8½ inches

Design by **Lorine Mason**

### INSTRUCTIONS

- 1) String a crimp bead ½ inch from one end of beading wire; thread wire end through one half of toggle clasp and back through crimp bead. Gently squeeze crimp bead and fold in half with crimp pliers.
- 2) String on the following sequence: bead cap, 8mm topaz, 6mm topaz, 8mm topaz and a bead cap.  
*Note: String on bead caps so they hold beads in place.* Repeat sequence six more times.
- 3) String on a crimp bead and remaining half of clasp; thread wire end back through crimp bead. Secure in same manner as step 1. ●

Source: Beading wire and crimp beads from Beadalon.

# December

## Lapis Lazuli

Designs by Vicki Blizzard

### INSTRUCTIONS

#### Necklace

- 1) For pendant, thread a large daisy spacer, the lapis chunk, a large daisy spacer and a cube bead onto beaded head pin. Form a wire-wrapped loop above top bead and trim excess wire. Set aside.
- 2) Cut a 28-inch piece of beading wire. String a crimp bead and a cube bead  $\frac{1}{2}$  inch from end of beading wire; thread wire end through lobster-claw clasp and back through beads. Use crimp pliers to flatten the crimp bead.
- 3) String a small daisy spacer, a sodalite bead, a small daisy spacer and a cube bead onto wire. Repeat stringing sequence 19 times.
- 4) String a large daisy spacer, a lapis bead, a large daisy spacer, a cube bead, a small daisy spacer, a sodalite bead, a small daisy spacer, a cube bead, a small daisy spacer, a sodalite bead, a small daisy spacer and a cube bead. Repeat this sequence once.
- 5) String a large daisy spacer, a lapis bead, a large daisy spacer, a cube bead, a small daisy spacer, a sodalite bead, a small daisy spacer and a large daisy spacer. String on the pendant.
- 6) Repeat steps 3–5, only in reverse, for second half of necklace.
- 7) String on a crimp bead, a cube bead and the twisted jump ring. Thread end of wire back through several beads. Use crimp pliers to flatten crimp bead. Trim excess wire.

#### Bracelet

- 1) On remaining piece of beading wire, string a crimp bead and a cube bead  $\frac{1}{2}$  inch from end of beading wire; thread wire end through one half of toggle clasp and back through beads. Use crimp pliers to flatten the crimp bead.
- 2) String 12 cube beads placing small daisy spacers in between each. String remaining lapis and sodalite beads, starting and ending with a sodalite bead. Place small daisy spacers before and after each sodalite bead and large daisy spacers before and after each lapis bead, with cube beads in between.
- 3) String remaining 12 cube beads, placing a small daisy spacer in between each.
- 4) String on a crimp bead, a cube bead and remaining half of the clasp. Thread wire end back through several beads. Use crimp pliers to flatten crimp bead. Trim excess wire. ●

**Sources:** Gemstones from Fire Mountain Gems & Beads; cube beads, Bali spacers, toggle clasp, jump ring and head pin from Enchanting Beads; beading wire from Beadalon.

### MATERIALS

- 10 (8mm) round lapis lazuli beads
- 55 (4mm) round sodalite beads
- 12 x 18mm lapis lazuli chunk
- 91 (2.5mm) sterling silver cube beads
- 130 (3mm) Bali daisy spacers
- 24 (5mm) Bali daisy spacers
- 4 (2mm) silver crimp beads
- 41 inches .015-inch-diameter 49-strand nylon-coated flexible beading wire
- 12mm Bali toggle clasp with 2-link chain
- 12mm sterling silver lobster-claw clasp
- 9mm twisted Bali silver jump ring
- 2-inch Bali beaded head pin
- Round-nose pliers
- Crimp pliers
- Wire nippers

### FINISHED SIZES

#### Necklace

• 22 inches

#### Bracelet

• 8 $\frac{1}{4}$  inches



*Beautiful Birthstones* is published by Annie's Attic/DRG Publishing, 306 East Parr Road, Berne, IN 46711, telephone (260) 589-4000. Printed in USA. Copyright © 2006 Annie's Attic/DRG Publishing.

Every effort has been made to ensure that the instructions in this pattern book are complete and accurate. We cannot, however, take responsibility for human error, typographical mistakes or variations in individual work.


Editor: Vicki Blizzard  
Associate Editor: Lisa M. Fosnaugh  
Art Director: Brad Snow  
Assistant Art Director: Nick Pierce  
Technical Editor: Brooke Smith  
Copy Supervisor: Michelle Beck  
Copy Editor: Mary O'Donnell

Graphic Production Supervisor:  
Ronda Bechinski  
Graphic Artist: Jessi Butler  
Photography: Justin P. Wiard,  
Kelly Wiard

ISBN: 1-59635-084-9

Printed in U.S.A.

1 2 3 4 5 6 7 8 9



UPC PRINTED IN USA  
 7 32526 40237 1  
 AnniesAttic.com

EAN ISBN 1-59635-084-9 50795  
 9 781596 350847